



T.			$U_z$	$U_{aa}$	$R_{aa}$	$U_{stab}$	$U_{reg}$	$I_{min \rightarrow max}$
			V	V	MΩ	V	V	mA
GR 20-1	DGL	1		200	1	150		10 ÷ 60
GR 22-1	DGL	1/2		200	1	150		10 ÷ 50
GR 24-2	DGL	3		200	1	150		10 ÷ 60
GR 150/DK	DGL	4		200	1	150		2 ÷ 15
GR 150/DP	DGL	3		200	1	140 ÷ 160		10 ÷ 60
GR 150/DZ	DGL	4		200	1	150		3 ÷ 15
G 180/2 M	STCE	8	180			150		5 ÷ 40
LK 199	STV	5	160	220		140 ÷ 150		10 ÷ 60
MSTV 140/60 Z	eur	6	160	220		127,5 ÷ 152,5	0,5	5 ÷ 65
QS 150/15	EEV	7	170	240	0,25	150	5	2 ÷ 15
QS 150/45	EEV	8	170	200	0,1	150	5	5 ÷ 45
STV 150/40 Z	eur	9		220		138 ÷ 155		10 ÷ 40
S 150/40	Cerb	10		210		150		2 ÷ 40
150 B 3	Mul	7	170	240	0,27	145 ÷ 160	5	2 ÷ 20

### Equivalents

GR 145/DP	DGL = GR 24-2	LK 121	eur = MSTV 140/60 Z
GR 150/DA	DGL = GR 20-1	OSW 3804	RFT = STV 150/40 Z
GR 150/DM	DGL = GR 22-1	StR 150/40 Z	RFT = STV 150/40 Z
G 180/2 G	STCE = G 180/2 M		

